

<https://doi.org/10.33472/AFJBS.6.9.2024.2681-2695>



African Journal of Biological Sciences

Journal homepage: <http://www.afjbs.com>



Research Paper

Open Access

Microplastics and Their Implications for Human Health: A Scientific Exploration

Jharna Maiti¹, Amit Joshi¹, Sanyogita Shahi^{1*}

1. Kalinga University, Raipur, Chhattisgarh, India, 492101

*Corresponding author e-mail: drsanyogitashahi@gmail.com

Article History

Volume 6, Issue 9, 2024

Received: 11 Apr 2024

Accepted: 03 May 2024

doi: [10.33472/AFJBS.6.9.2024.2681-2695](https://doi.org/10.33472/AFJBS.6.9.2024.2681-2695)

Abstract

As they are so common in the environment, microplastics pose serious health risks to people. This scientific investigation explores their origins, movements, and effects. Synthetic fibres, microbeads, and plastic manufacture are examples of primary sources; the fragmentation of bigger polymers is a secondary source. Nurdles are released during the plastic manufacturing process, wastewater from personal care items contains microbeads that infiltrate aquatic bodies, and contamination is caused by synthetic fibers shed from textiles. Larger polymers break apart as a result of external stresses like sunshine and mechanical forces. Microplastics find their way into ecosystems via soil, streams, atmospheric deposition, and the food chain. Deposition occurs on both terrestrial and aquatic surfaces as a result of atmospheric transport caused by wind and precipitation. Surface runoff and wastewater discharge contribute to accumulation in rivers, which affects aquatic life and may make its way into the food chain. Runoff and atmospheric deposition cause soil to accumulate, which has an impact on soil quality and agricultural output. Microplastics biomagnified in the food chain, putting human health at risk from eating polluted seafood. Determining human exposure and related health hazards requires an understanding of the origins and pathways of microplastics. Thorough risk assessments and mitigation tactics are necessary to reduce negative impacts on the environment and public health. To reduce pollution and protect public health, it is imperative to address the manufacture of plastics, regulate the presence of microplastics in consumer products, and support sustainable alternatives. This investigation emphasizes the necessity of multidisciplinary study and teamwork to address the intricate problems brought on by microplastics and safeguard environmental integrity and public health.

Keywords: Microplastics, Mitigation strategies, Synthetic fibres, Nurdles, bio-magnify.

1.Introduction

1.1. The meaning of microplastics

Plastic particles smaller than five mm in size are known as microplastics, and they have become a major environmental problem with possible health effects on humans. These minuscule pieces come from a variety of sources, such as the direct release of products containing microplastic and the disintegration of bigger plastic items (Fig:1). Microplastics are tiny particles that are widely dispersed and have gotten into a variety of ecosystems, including rivers, soils, oceans, and even the atmosphere. A comprehensive approach is necessary to comprehend the health consequences of microplastics, taking into account their sources, processes, and possible effects on the biology of humans. Although studies on microplastics are still in their early phases, a growing body of data indicates that these commonplace particles may be harmful to human health when inhaled, eaten, or come into contact with the skin. We hope to explore the intricacies of microplastics and their effects on human health in this scientific investigation. We hope to clarify the possible threats that microplastics may pose to human health and encourage more investigation into this urgent problem by reviewing the present state of knowledge on the subject. We will investigate the origins and distribution channels of microplastics, clarify the processes of human exposure, and look at potential health risks related to ingesting, inhaling, and coming into touch with microplastics on the skin throughout the course of this article. We will also point out areas of incomplete knowledge in the current literature and suggest directions for further research to improve our comprehension of the connection between microplastics and human health.




Fig:1 Microplastic

The ultimate goal of this research investigation is to advance our knowledge of how microplastics affect human health and to help develop mitigation methods for the negative consequences that they have on both persons and communities. Through clarifying the intricate relationship between

human biology and microplastics, we intend to raise awareness of this urgent environmental and public health concern.

1.2. The significance of researching microplastics and their effects on human health

Because microplastics are becoming more and more common in many environmental compartments, studying their effects on human health is essential for environmental and public health studies. Comprehending the effects of these particles is essential due to the increasing global production of plastics for multiple reasons. First of all, there are worries about human exposure through ingestion, inhalation, and skin contact due to the detection of microplastics in seafood, air, and drinking water. Second, early research points to possible health problems since microplastics have the ability to absorb toxic compounds and accumulate in tissues, which raises concerns about long-term consequences. Environmental justice issues also need to be taken into account because vulnerable populations may be disproportionately exposed to harmful effects on their health.

2. Source and Routes of Microplastics

2.1. Primary sources: fibers, microbeads, and plastic manufacture

Plastic production is a major driver of microplastic pollution, contributing to its proliferation in the environment through various pathways. Firstly, during plastic manufacturing processes like polymerization, spills and inadequate waste management practices can release plastic pellets, known as nurdles, which degrade into microplastic particles over time. Additionally, microbeads found in personal care products, such as facial scrubs and toothpaste, add to microplastic pollution when they enter water bodies via wastewater discharge. Finally, synthetic textiles shed microplastic fibers during laundering and wear, releasing them into wastewater streams that ultimately reach aquatic ecosystems. Recognizing the significance of these primary sources is crucial for devising effective mitigation strategies, including reducing plastic production, regulating microplastic use in consumer goods, and promoting sustainable alternatives. Addressing these root causes is vital for minimizing the adverse impacts of microplastics on both human health and the environment.

2.2. Secondary sources: bigger plastics breaking apart

The breaking down of bigger plastic objects is a major factor in the formation of microplastics in the environment, in addition to fundamental sources like the production of plastic and microbeads. Large plastic things degrade physically and chemically when exposed to environmental stressors such as heat, sunlight, and mechanical forces. These procedures cause macroplastics to break down into tiny pieces, which eventually turn into microplastics. This fragmentation process is accelerated by mechanisms like UV degradation, mechanical pressures from waves and currents, biological degradation by microbes, and chemical weathering. Human health is at danger from microplastics produced by this mechanism through a variety of exposure pathways, such as consuming contaminated food or water. It is crucial to comprehend the mechanisms underlying the fragmentation of bigger plastics and how they relate to microplastic pollution in order to develop mitigation solutions for environmental contamination and public health risks.

Monomer type	Polymer type	Source or uses	System affected in human being	Precaution
Ethylene	Polyethylene (PE)	Plastic bags, Packaging films, and bottles	Endocrine system and reproductive health.	Avoid excessive use of single-use plastic products to minimize PE microplastic pollution.
Propylene	Polypropylene (PP)	Food packaging, Bottle caps, and Synthetic fibers.	Allergic reactions or skin irritation.	Properly dispose of PP plastic items to prevent PP microplastics from entering the environment.
Terephthalic acid and ethylene glycol	Polyethylene terephthalate (PET)	Beverage bottles, food Containers, and Synthetic fibers.	Reproductive health and hormone balance.	Recycle PET plastic bottles and containers to reduce PET microplastic contamination.
Styrene	Polystyrene (PS)	Foam packaging, Disposable utensils, and Insulation materials	Central nervous system and Respiratory system.	Reduce the use of polystyrene foam products to minimize PS microplastic pollution.
Vinyl chloride	Polyvinyl chloride (PVC)	Pipes, window frames, and Packaging materials	Endocrine disruptors and may impact Reproductive health and hormone balance.	Dispose of PVC items responsibly to prevent PVC microplastics from contaminating the environment.
Nylon 6 is made from caprolactam, nylon 66 from hexamethylene diamine and adipic acid	Polyamide (PA)	Clothing fibers, Fishing nets, and Automotive parts.	Allergic reactions	Avoid washing synthetic clothing made of PA fibers frequently to reduce PA microplastic release.
Isocyanates and polyols	Polyurethane (PU)	Foam materials, coatings,	Cause respiratory issues and	Choose products made from natural materials over those containing PU

		and Adhesives.	Allergic reactions upon exposure.	to minimize PU microplastic pollution.
Methyl methacrylate	Acrylic (PMMA)	Acrylic sheets, paint, and Household products.	Respiratory irritation.	Dispose of acrylic items properly to prevent PMMA microplastics from entering water bodies.
Terephthalic acid and ethylene glycol	Polyethylene-terephthalate glycol (PETG)	Beverage bottles, food Containers, and synthetic fibers.	Respiratory irritation.	Use PETG plastics responsibly and recycle them to minimize PETG microplastic contamination.
Terephthalic acid and 1,4-butanediol	Polybutylene terephthalate (PBT)	Electrical components , automotive parts, and Packaging materials	Developmental delays in children, neurological issues, and Cardiovascular problems in adults.	Dispose of PBT-containing items properly to prevent PBT microplastics from entering ecosystems.




Fig: 2

4.2. Oxidative stress and harm to cells

Due to their extensive presence in the environment, microplastics have been linked to oxidative stress and cellular damage in human tissues and cells. Oxidative stress can result from exposure to microplastics because it can upset the equilibrium between the formation of reactive oxygen species (ROS) and antioxidant defense mechanisms. Stress has the capacity to harm proteins, lipids, and DNA, which could have an impact on people's health. By stimulating the generation of ROS by different cell types, microplastics overwhelm antioxidant defenses and induce oxidative stress. Stress may contribute to lipid-related illnesses, genetic disorders, and cancer by causing lipid peroxidation, protein oxidation, DNA damage, and mitochondrial malfunction. Determining the health effects of microplastic exposure and creating mitigation plans require an understanding of these pathways. To understand the long-term effects of cellular damage caused by microplastics and investigate potential therapeutic approaches, more research is required.

4.3. Potential for chemical transfer and toxicity

Because they can cause oxidative stress, cellular damage, chemical transfer, and toxicity, microplastics offer serious health hazards to people. By releasing reactive oxygen species (ROS), these microscopic plastic particles have the ability to cause oxidative stress, which can result in DNA damage, lipid peroxidation, and protein oxidation. Furthermore, hazardous substances from the environment, including heavy metals and persistent organic pollutants (POPs), can be absorbed and collected by microplastics. Microplastics have the ability to release substances that have been adsorbed into the gastrointestinal system upon ingestion, which could result in toxicity and negative health effects. Comprehending these mechanisms is crucial in evaluating the potential health consequences of microplastics on humans and formulating approaches to alleviate their hazards.

5. Research Being Done Now and Knowledge Gaps

5.1. Difficulties in researching microplastics

Researchers face various obstacles in their investigation of microplastics and their effects on human health. The different sizes, shapes, and compositions of microplastics make detection and characterization difficult, necessitating the use of standardized techniques for trustworthy data comparison. To reduce bias, representative samples from different environmental compartments must be obtained, and sample preparation methods must be optimized. Accurately isolating particular size classes of microplastics requires size fractionation techniques, however this can be a difficult technological task. Advanced analytical methods are needed to determine the chemical makeup of microplastics, however sample complexity and interference make this process difficult. Robust testing techniques and models are necessary for toxicological evaluation; nevertheless, creating pertinent exposure scenarios and extrapolating results present difficulties. Consensus standards for risk assessment are necessary because of the complexity of data interpretation caused by variations in techniques and endpoints. To overcome these obstacles, we must work together to expand our knowledge of microplastics and create practical pollution-reduction and environmental and public health policies.

5.2 Standardized methods are required

5.2.1. Recognition and Characterization: Microplastics are difficult to detect and characterize because of their wide range of sizes, shapes, and compositions. In environmental samples, conventional analytical methods might not be sensitive enough to identify microplastics at low quantities or to distinguish them from other particulate matter. For accurate data comparison and interpretation, standardized techniques for the detection, identification, and quantification of microplastics must be developed.

5.2.2. Sampling and Sample Preparation: It might be difficult to gather representative samples of microplastics from many environmental compartments, including water, soil, sediment, and biota. Sampling techniques need to take into consideration potential sources of contamination during sample collection and processing, as well as geographical and temporal variability in

microplastic concentration and distribution. Reducing bias and guaranteeing data dependability require standardizing sampling procedures and improving sample preparation methods.

5.2.3.Dimension Fractionation and Analysis: Particle sizes ranging from nanometers to millimeters are included in the category of microplastics, and each has unique characteristics and behaviors. Since different size fractions of microplastics may provide differing dangers to human health, size fractionation techniques are required to isolate particular size classes of microplastics for investigation (Nguyen et al., 2019). Resolving microplastics from natural background particles and attaining precise size fractionation, however, can be difficult and resource-intensive.

5.2.4. Chemical Examination and Recognition: Advanced analytical methods including mass spectrometry, chromatography, and spectroscopy are needed to determine the chemical makeup of microplastics and related pollutants. Separating microplastics from man-made or natural particles and describing their surface characteristics, however, can be challenging due to background signal interference and sample complexity. To evaluate the toxicity and environmental fate of microplastics, trustworthy techniques for chemical analysis and identification must be developed.

5.2.5. Toxicological Assessment: Extensive toxicological testing methodologies and experimental models are needed to assess the toxicity of microplastics and related compounds on human health. However, there are difficulties in developing pertinent exposure scenarios, choosing suitable endpoints, and extending findings to actual settings in toxicological evaluation. To fully evaluate the health hazards that microplastics pose, interdisciplinary methodologies including epidemiological studies, animal studies, and in vitro experiments must be integrated.

5.2.6.Data Interpretation and Risk Assessment: Variability in techniques, endpoints, and reporting standards make it difficult to interpret and synthesize data from various research on microplastics and human health. To draw meaningful findings and guide evidence-based decision-making, agreed guidelines for data interpretation and risk assessment, including exposure assessment, dose-response analysis, and uncertainty estimation, must be established. To address these issues and improve our knowledge of microplastics and their effects on human health, researchers, legislators, industry stakeholders, and the general public must work together. By overcoming these obstacles, we can create practical plans to reduce microplastic contamination and save the ecosystem and public health for coming generations.

5.3.Effects on long-term health and cumulative exposure

5.3.1. Chronic Inflammation: As a result of the immune system's ongoing reaction to the presence of foreign particles, prolonged exposure to microplastics can result in chronic inflammation. Chronic inflammation has been linked to a number of illnesses, such as metabolic disorders, neurodegenerative diseases, and cardiovascular diseases.

5.3.2. Cumulative Oxidative Stress: As reactive oxygen species (ROS) constantly interact with biological components, cumulative exposure to microplastics might eventually worsen oxidative stress. Prolonged oxidative stress has been linked to DNA mutations, cellular damage, and the emergence of chronic illnesses like cancer and age-related disorders.

5.3.3. Systemic Effects: The body's tissues and organs may become accumulated with microplastics and related substances, which may have a systemic impact on physiological

functions. There could be long-term effects on general health and wellbeing from chronic exposure to microplastics since they may interfere with immunological responses, neuronal signaling, and endocrine function.

5.3.4. Bioaccumulation: Over time, microplastics may build up in organisms and reach larger quantities in higher trophic levels of the food chain. Consuming contaminated seafood and other food products can expose humans to microplastics over time, increasing the risk of health issues related to bioaccumulated pollutants.

5.3.5. Latency Periods: Symptoms of some health impacts of microplastic exposure may not appear for years or decades after the original exposure. Comprehending the duration of latency and chronicity of health consequences generated by microplastics is essential for evaluating and managing long-term risks. Research collaborations across multiple disciplines, epidemiological analyses, and longitudinal studies are necessary to evaluate cumulative exposure to microplastics and its long-term health impacts. Through the monitoring of exposure patterns, long-term health outcomes, and dose-response relationship clarification, scientists can gain a better understanding of the long-term health concerns linked to microplastic pollution. It is imperative to put preventive measures into place, such as cutting back on plastic consumption and enhancing waste management techniques, in order to mitigate long-term health consequences and protect human health for coming generations.

6. Mitigation and Future Directions

6.1. Important tactics consist of: To tackle the problem of plastic pollution, a diverse strategy is needed. Enacting legislation to limit the manufacture of plastic and encourage sustainable alternatives is known as source reduction. It takes efficient waste management—better collection, infrastructure for recycling, and appropriate disposal methods—to keep plastic out of the environment. To reduce the manufacturing of microplastics, eco-friendly materials and packaging must be developed, and this requires product innovation. Campaigns for public awareness inform the public about the negative impacts of microplastic pollution and encourage sensible consumption practices. Along with the phase-out of single-use plastics, policy measures like expanded producer responsibility and restrictions on microplastic use are crucial. Furthermore, to create efficient mitigation methods and gain a deeper understanding of the sources of microplastic, research and monitoring activities are required. Governments, businesses, academic institutions, and civil society organizations must work together to reduce microplastic pollution in a significant way while also safeguarding the environment and public health.

6.2. Policy recommendations

Implement stringent laws to restrict the production and use of microplastics, such as prohibitions on single-use plastics and microbeads in personal hygiene items, to reduce their environmental release. Improve the infrastructure for waste management to reduce the amount of plastic that seeps into ecosystems. In addition, extended producer responsibility (EPR) programs in place to promote plastic recycling and appropriate disposal. Invest funds in studies on microplastics, their effects on health, and practical mitigation techniques to help with decision-making and action. Encourage international cooperation in order to standardize regulations, share best practices, and deal with

transboundary microplastic pollution as a global issue. Increase public knowledge about microplastic contamination and the health risks it poses, encouraging people to adopt eco-friendly practices that will lessen their use of plastic and its negative effects on the environment.

6.3.Future research areas

The long-term health effects of microplastic exposure on human physiology, including possible links to chronic diseases, the various routes and sources of human exposure to microplastics, including ingestion, inhalation, and dermal contact, the development of comprehensive frameworks for assessing health risks associated with microplastic exposure, taking into account factors like exposure levels, toxicity, and vulnerability, and the identification of effective interventions to reduce microplastic pollution, including waste management strategies, policy measures, and the development of alternative materials are all necessary to fully address the issue of microplastic pollution. Additionally Examine the ecological effects of microplastic pollution on terrestrial and marine ecosystems, taking into account the loss of biodiversity and the disturbance of ecosystem processes. Scientists can improve their knowledge of microplastics and develop mitigation techniques for their negative effects on the environment and human health by tackling these research priorities.

Conclusion

In conclusion, there are serious health risks associated with the environmental presence of microplastics. Microplastics can enter the human body through a number of routes, including as ingestion, inhalation, and skin absorption, as this scientific investigation has made clear. Once within the body, these particles have the ability to build up and may have detrimental impacts on health, varying from oxidative stress and inflammation to more severe ailments including cancer and reproductive issues. Moreover, the extensive dispersion of microplastics in the environment emphasizes the necessity of swift action to lessen their effects. To solve this issue, regulations that aim to reduce plastic pollution at its source as well as efficient waste management systems are essential. In addition, further study is required to create mitigation and cleanup plans and to comprehend the long-term impacts of microplastic exposure on human health.

Reference

1. Deji-Oloruntoba, O., Agidigbi, T. S., & Jang, M. (2024). Microplastics and Nano-plastics Contamination in Foods: Current Understanding of the Health Impact on Human and Potential Solutions. *European Journal of Nutrition & Food Safety*, 16(5), 11-31.
2. Kadac-Czapska, K., Knez, E., & Grembecka, M. (2024). Food and human safety: The impact of microplastics. *Critical Reviews in Food Science and Nutrition*, 64(11), 3502-3521.
3. Winiarska, E., Jutel, M., & Zemelka-Wiacek, M. (2024). The potential impact of nano-and microplastics on human health: Understanding human health risks. *Environmental Research*, 118535.
4. Barceló, D., Picó, Y., & Alfarhan, A. H. (2023). Microplastics: Detection in human samples, cell line studies, and health impacts. *Environmental toxicology and pharmacology*, 104204.
5. Deng, Y., Wu, J., Chen, J., & Kang, K. (2023). Overview of microplastic pollution and its influence on the health of organisms. *Journal of Environmental Science and Health, Part*

- A, 58(4), 412-422. Deng, Y., Wu, J., Chen, J., & Kang, K. (2023). Overview of microplastic pollution and its influence on the health of organisms. *Journal of Environmental Science and Health, Part A*, 58(4), 412-422.
6. Emenike, E. C., Okorie, C. J., Ojeyemi, T., Egbemhenghe, A., Iwuozor, K. O., Saliu, O. D., ... & Adeniyi, A. G. (2023). From oceans to dinner plates: The impact of microplastics on human health. *Heliyon*, 9(10).
 7. Adhikari, S., Kelkar, V., Kumar, R., & Halden, R. U. (2022). Methods and challenges in the detection of microplastics and nanoplastics: a mini-review. *Polymer International*, 71(5), 543-551.
 8. Bastyans, S., Jackson, S., & Fejer, G. (2022). Micro and nano-plastics, a threat to human health?. *Emerging topics in life sciences*, 6(4), 411-422.
 9. Danopoulos, E., Twiddy, M., West, R., & Rotchell, J. M. (2022). A rapid review and meta-regression analyses of the toxicological impacts of microplastic exposure in human cells. *Journal of Hazardous Materials*, 427, 127861.
 10. Hua, T., Kiran, S., Li, Y., & Sang, Q. X. A. (2022). Microplastics exposure affects neural development of human pluripotent stem cell-derived cortical spheroids. *Journal of Hazardous Materials*, 435, 128884.
 11. Koelmans, A. A., Redondo-Hasselerharm, P. E., Nor, N. H. M., de Ruijter, V. N., Mintenig, S. M., & Kooi, M. (2022). Risk assessment of microplastic particles. *Nature Reviews Materials*, 7(2), 138-152.
 12. Kwon, W., Kim, D., Kim, H. Y., Jeong, S. W., Lee, S. G., Kim, H. C., ... & Choi, S. K. (2022). Microglial phagocytosis of polystyrene microplastics results in immune alteration and apoptosis in vitro and in vivo. *Science of The Total Environment*, 807, 150817.
 13. Sangkham, S., Faikhaw, O., Munkong, N., Sakunkoo, P., Arunlertaree, C., Chavali, M., ... & Tiwari, A. (2022). A review on microplastics and nanoplastics in the environment: Their occurrence, exposure routes, toxic studies, and potential effects on human health. *Marine pollution bulletin*, 181, 113832.
 14. Stoll, T., Stoett, P., Vince, J., & Hardesty, B. D. (2022). Governance and measures for the prevention of marine debris. *Handbook of Microplastics in the Environment*, 1129-1151.
 15. Yang, X., Man, Y. B., Wong, M. H., Owen, R. B., & Chow, K. L. (2022). Environmental health impacts of microplastics exposure on structural organization levels in the human body. *Science of the Total Environment*, 825, 154025.
 16. Dang, F., Huang, Y., Wang, Y., Zhou, D., & Xing, B. (2021). Transfer and toxicity of silver nanoparticles in the food chain. *Environmental Science: Nano*, 8(6), 1519-1535.
 17. Elizalde-Velázquez, G. A., & Gómez-Oliván, L. M. (2021). Microplastics in aquatic environments: A review on occurrence, distribution, toxic effects, and implications for human health. *Science of the Total Environment*, 780, 146551.
 18. Ivleva, N. P. (2021). Chemical analysis of microplastics and nanoplastics: challenges, advanced methods, and perspectives. *Chemical reviews*, 121(19), 11886-11936.

19. Jin, M., Wang, X., Ren, T., Wang, J., & Shan, J. (2021). Microplastics contamination in food and beverages: Direct exposure to humans. *Journal of Food Science*, 86(7), 2816-2837.
20. Katare, Y., Singh, P., Sankhla, M. S., Singhal, M., Jadhav, E. B., Parihar, K., ... & Bhardwaj, L. (2021). Microplastics in aquatic environments: sources, ecotoxicity, detection & remediation. *Biointerface Res. Appl. Chem*, 12, 3407-3428.
21. Lu, K., Lai, K. P., Stoeger, T., Ji, S., Lin, Z., Lin, X., ... & Wang, L. (2021). Detrimental effects of microplastic exposure on normal and asthmatic pulmonary physiology. *Journal of hazardous materials*, 416, 126069.
22. Li, S., Wang, Q., Yu, H., Yang, L., Sun, Y., Xu, N., ... & Zhang, L. (2021). Polystyrene microplastics induce blood–testis barrier disruption regulated by the MAPK-Nrf2 signaling pathway in rats. *Environmental Science and Pollution Research*, 28(35), 47921-47931.
23. Sridharan, S., Kumar, M., Singh, L., Bolan, N. S., & Saha, M. (2021). Microplastics as an emerging source of particulate air pollution: A critical review. *Journal of Hazardous Materials*, 418, 126245.
24. Vazquez, O. A., & Rahman, M. S. (2021). An ecotoxicological approach to microplastics on terrestrial and aquatic organisms: A systematic review in assessment, monitoring and biological impact. *Environmental Toxicology and Pharmacology*, 84, 103615.
25. Wang, C., Zhao, J., & Xing, B. (2021). Environmental source, fate, and toxicity of microplastics. *Journal of hazardous materials*, 407, 124357.
26. Choudhary, D., Kurien, C., & Srivastava, A. K. (2020). Microplastic contamination and life cycle assessment of bottled drinking water. In *Advances in Water Pollution Monitoring and Control: Select Proceedings from HSFEA 2018* (pp. 41-48). Springer Singapore.
27. De Marcos Holmberg, M. (2020). *Assessing the potential and limitations of single-use plastics abatement interventions in remote areas and islands: A case study of Caribbean Small Island Developing States* (Doctoral dissertation, UNSW Sydney).
28. Li, B., Ding, Y., Cheng, X., Sheng, D., Xu, Z., Rong, Q., ... & Zhang, Y. (2020). Polyethylene microplastics affect the distribution of gut microbiota and inflammation development in mice. *Chemosphere*, 244, 125492.
29. Möller, J. N., Löder, M. G., & Laforsch, C. (2020). Finding microplastics in soils: a review of analytical methods. *Environmental science & technology*, 54(4), 2078-2090.
30. Prata, J. C., da Costa, J. P., Lopes, I., Duarte, A. C., & Rocha-Santos, T. (2020). Environmental exposure to microplastics: An overview on possible human health effects. *Science of the total environment*, 702, 134455.
31. Rubio, L., Marcos, R., & Hernández, A. (2020). Potential adverse health effects of ingested micro-and nanoplastics on humans. Lessons learned from in vivo and in vitro mammalian models. *Journal of Toxicology and Environmental Health, Part B*, 23(2), 51-68.
32. Abbasi, S., Keshavarzi, B., Moore, F., Turner, A., Kelly, F. J., Dominguez, A. O., & Jaafarzadeh, N. (2019). Distribution and potential health impacts of microplastics and

- microrubbers in air and street dusts from Asaluyeh County, Iran. *Environmental pollution*, 244, 153-164.
33. Akdogan, Z., & Guven, B. (2019). Microplastics in the environment: A critical review of current understanding and identification of future research needs. *Environmental pollution*, 254, 113011.
 34. Franzellitti, S., Canesi, L., Auguste, M., Wathsala, R. H., & Fabbri, E. (2019). Microplastic exposure and effects in aquatic organisms: a physiological perspective. *Environmental toxicology and pharmacology*, 68, 37-51.
 35. McNicholas, G., & Cotton, M. (2019). Stakeholder perceptions of marine plastic waste management in the United Kingdom. *Ecological Economics*, 163, 77-87.
 36. Nguyen, B., Claveau-Mallet, D., Hernandez, L. M., Xu, E. G., Farner, J. M., & Tufenkji, N. (2019). Separation and analysis of microplastics and nanoplastics in complex environmental samples. *Accounts of chemical research*, 52(4), 858-866.
 37. Gasperi, J., Wright, S. L., Dris, R., Collard, F., Mandin, C., Guerrouache, M., ... & Tassin, B. (2018). Microplastics in air: are we breathing it in?. *Current Opinion in Environmental Science & Health*, 1, 1-5.
 38. Karbalaei, S., Hanachi, P., Walker, T. R., & Cole, M. (2018). Occurrence, sources, human health impacts and mitigation of microplastic pollution. *Environmental science and pollution research*, 25, 36046-36063.
 39. Lam, C. S., Ramanathan, S., Carbery, M., Gray, K., Vanka, K. S., Maurin, C., ... & Palanisami, T. (2018). A comprehensive analysis of plastics and microplastic legislation worldwide. *Water, Air, & Soil Pollution*, 229, 1-19.
 40. Ogunola, O. S., Onada, O. A., & Falaye, A. E. (2018). Mitigation measures to avert the impacts of plastics and microplastics in the marine environment (a review). *Environmental Science and Pollution Research*, 25, 9293-9310.
 41. Prata, J. C. (2018). Airborne microplastics: consequences to human health?. *Environmental pollution*, 234, 115-126.
 42. Schnurr, R. E., Alboiu, V., Chaudhary, M., Corbett, R. A., Quanz, M. E., Sankar, K., ... & Walker, T. R. (2018). Reducing marine pollution from single-use plastics (SUPs): A review. *Marine pollution bulletin*, 137, 157-171.
 43. Silva, A. B., Bastos, A. S., Justino, C. I., da Costa, J. P., Duarte, A. C., & Rocha-Santos, T. A. (2018). Microplastics in the environment: Challenges in analytical chemistry-A review. *Analytica chimica acta*, 1017, 1-19.
 44. Smith, M., Love, D. C., Rochman, C. M., & Neff, R. A. (2018). Microplastics in seafood and the implications for human health. *Current environmental health reports*, 5, 375-386.
 45. Yu, P., Liu, Z., Wu, D., Chen, M., Lv, W., & Zhao, Y. (2018). Accumulation of polystyrene microplastics in juvenile *Eriocheir sinensis* and oxidative stress effects in the liver. *Aquatic toxicology*, 200, 28-36.

46. Besseling, E., Quik, J. T., Sun, M., & Koelmans, A. A. (2017). Fate of nano-and microplastic in freshwater systems: A modeling study. *Environmental pollution*, 220, 540-548.
47. da Costa, J. P., Duarte, A. C., & Rocha-Santos, T. A. (2017). Microplastics—occurrence, fate and behaviour in the environment. In *Comprehensive analytical chemistry* (Vol. 75, pp. 1-24). Elsevier.
48. Horton, A. A., Walton, A., Spurgeon, D. J., Lahive, E., & Svendsen, C. (2017). Microplastics in freshwater and terrestrial environments: Evaluating the current understanding to identify the knowledge gaps and future research priorities. *Science of the total environment*, 586, 127-141.
49. Mintenig, S. M., Int-Veen, I., Löder, M. G., Primpke, S., & Gerdts, G. (2017). Identification of microplastic in effluents of waste water treatment plants using focal plane array-based micro-Fourier-transform infrared imaging. *Water research*, 108, 365-372.
50. Rodríguez-Seijo, A., & Pereira, R. (2017). Morphological and physical characterization of microplastics. In *Comprehensive analytical chemistry* (Vol. 75, pp. 49-66). Elsevier.
51. Schirinzi, G. F., Pérez-Pomeda, I., Sanchís, J., Rossini, C., Farré, M., & Barceló, D. (2017). Cytotoxic effects of commonly used nanomaterials and microplastics on cerebral and epithelial human cells. *Environmental Research*, 159, 579-587.
52. Wright, S. L., & Kelly, F. J. (2017). Plastic and human health: a micro issue?. *Environmental science & technology*, 51(12), 6634-6647.
53. Ziajahromi, S., Neale, P. A., Rintoul, L., & Leusch, F. D. (2017). Wastewater treatment plants as a pathway for microplastics: development of a new approach to sample wastewater-based microplastics. *Water research*, 112, 93-99.
54. Oberbeckmann, S., Osborn, A. M., & Duhaime, M. B. (2016). Microbes on a bottle: substrate, season and geography influence community composition of microbes colonizing marine plastic debris. *PLoS One*, 11(8), e0159289.
55. Eerkes-Medrano, D., Thompson, R. C., & Aldridge, D. C. (2015). Microplastics in freshwater systems: a review of the emerging threats, identification of knowledge gaps and prioritisation of research needs. *Water research*, 75, 63-82.
56. Filella, M. (2015). Questions of size and numbers in environmental research on microplastics: methodological and conceptual aspects. *Environmental Chemistry*, 12(5), 527-538.
57. Löder, M. G., & Gerdts, G. (2015). Methodology used for the detection and identification of microplastics—a critical appraisal. *Marine anthropogenic litter*, 201-227.
58. Mani, T., Hauk, A., Walter, U., & Burkhardt-Holm, P. (2015). Microplastics profile along the Rhine River. *Sci Rep* 5: 17988.
59. Syberg, K., Khan, F. R., Selck, H., Palmqvist, A., Banta, G. T., Daley, J., ... & Duhaime, M. B. (2015). Microplastics: addressing ecological risk through lessons learned. *Environmental toxicology and chemistry*, 34(5), 945-953.

60. Bakir, A., Rowland, S. J., & Thompson, R. C. (2014). Transport of persistent organic pollutants by microplastics in estuarine conditions. *Estuarine, Coastal and Shelf Science*, 140, 14-21.
61. Free, C. M., Jensen, O. P., Mason, S. A., Eriksen, M., Williamson, N. J., & Boldgiv, B. (2014). High-levels of microplastic pollution in a large, remote, mountain lake. *Marine pollution bulletin*, 85(1), 156-163.
62. Hidalgo-Ruz, V., Gutow, L., Thompson, R. C., & Thiel, M. (2012). Microplastics in the marine environment: a review of the methods used for identification and quantification. *Environmental science & technology*, 46(6), 3060-3075.
63. Andrady, A. L. (2011). Microplastics in the marine environment. *Marine pollution bulletin*, 62(8), 1596-1605.