
Covid-19 and Vitamin D Deficiency: A Scientometric Assessment of Global Publications during 2020-21



Covid-19 and Vitamin D Deficiency: A Scientometric Assessment of Global Publications during 2020-21

Devi Dayal^{1,*}, BM Gupta², M Surulinathi³, Pamali Mahasweta Nanda¹

¹Postgraduate Institute of Medical Education and Research, Department of Pediatrics, Chandigarh, INDIA. ²Formerly with CSIR-National Institute of Science, Technology and Development Studies, New Delhi, INDIA. ³Bharathidasan University, Department of LIS, Tiruchirappalli, Tamil Nadu, INDIA.

ABSTRACT

Background: Several studies have examined Vitamin D deficiency (VDD) and the effects of vitamin D therapy in patients with coronavirus disease 2019 (Covid-19). However, a bibliometric assessment of research output on VDD in relation to Covid-19 is unavailable. Materials and Methods: We searched Elsevier's Scopus database for publications on VDD in Covid-19 using a defined search strategy. Data pertaining to the growth of publications, citation metrics, the most active countries, institutions, authors, journals, and the most cited articles, were analyzed using appropriate bibliometric tools. Mapping of keywords was done to identify the research trends. Results: Of 435 global publications on VDD in Covid-19, 187 (42.9%) were original articles. The total and average citations per paper (CPP) were 5664 and 13.0, respectively. Eighty-eight (20.2%) publications were funded; the National Institute of Health, USA, was the leading funding agency (n=18). Seventy-four countries participated in research on this theme; the USA and Italy with 18.3% and 16.5% led in productivity, whereas Ireland and the USA were the most impactful. The most dominant research topic was "Risk Factors" with 29.6% share, followed by "Epidemiology" (27.3%), "Complications" (26.4%), "Clinical studies" (24.8%), and "Pathophysiology" (17.2%), only 14.0% studies were on "Treatment". The research patient populations were "Adults", "Aged," and "Middle-Aged," with 24.1%, 21.6%, and 17.7% share, respectively; only 6.4% studies involved children. The organizations and authors numbered 254 and 383, respectively; Trinity College, Dublin, Ireland, and Harvard Medical School, USA, were the most productive, whereas

St. James's Hospital, Ireland, and University Hospital Brigham, UK were the most impactful. Belgium's Delanghe and Ireland's Kenny were the top productive authors, and Grant (USA) and Laird (Ireland) were the most influential. Journal of Medical Virology and Endocrine lead productivity while Aging Clinical and Experimental Research and Diabetes and Metabolic Syndrome: Clinical Research and Review lead in impact. **Conclusion:** The research on VDD in relation to Covid-19 has primarily been conducted in high-income countries, with the USA, Italy, and UK accounting for almost 50% of total publication output. The research gaps appear to be treatment-related aspects and VDD in children with Covid-19. Our assessment of the current status of research on VDD in Covid-19 may help the research community and policy-makers to prioritize research needs in this field.

Key words: Coronavirus disease 2019, Vitamin D Deficiency, Bibliometrics, Research impact, Scientometrics, Children.

Correspondence

Prof. Devi Dayal,

Endocrinology and Diabetes Unit, Department of Pediatrics, Advanced Pediatrics Center, Postgraduate Institute of Medical Education and Research, Chandigarh-160012, INDIA.

Email id: drdevidayal@gmail.com DOI: 10.5530/jyp.2021.13s.77

INTRODUCTION

The world is currently witnessing an unprecedented crisis of the Covid-19 pandemic. The pandemic has caused severe devastation globally and the crumbling of health infrastructures in developing countries.^{1,2} The Covid-19 is associated with significant morbidity and mortality due to its severe effects on the respiratory system and other organ systems, especially in those with comorbid conditions.^{3,4} In addition to comorbidities, several other risk factors, such as female sex, lack of Covid-19 appropriate behavior, large households, BCG vaccination, etc., are presumed to play a role in the Covid-19-related morbidity and mortality.⁵⁻⁸ One such risk factor which has been postulated to contribute to either acquisition or progression of Covid-19 is Vitamin D deficiency (VDD).⁹

Since the onset of the Covid-19 pandemic, the role of VDD has been a topic of intense research. Deveral studies have reported low serum levels in patients with Covid-19, especially those with severe disease, and in those who died of Covid-19. The recent meta-analysis also concluded that patients with VDD had an increased risk of developing the severe disease but not a fatal outcome. The studies conducted on the association between VDD and Covid-19 show a large degree of heterogeneity due

to the differences in enrolment criteria of patients (age, body mass index, ethnicity, comorbidities), the country of residence, and the criteria used to define the severity of Covid-19.¹⁰ Another similar meta-analysis concluded that the evidence for VDD's association with ICU admission, inflammation, hospitalization, and pulmonary involvement in Covid-19, is still inconsistent and insufficient.¹¹ Furthermore, the impact of VDD on other outcome factors such as length of hospitalization and prognosis remains uncertain.¹² More research is thus warranted to formulate concrete recommendations regarding VDD and Covid-19.

To guide further research, an assessment of the research conducted so far is essential. It helps in identifying the research gaps and the hotspots that the researchers need to focus on further. Such an assessment of previous research on any topic is often achieved through bibliometric studies.^{13, 14} The bibliometric studies also help identify major research contributors such as leading authors, organizations, and countries that facilitate more meaningful collaborations.¹⁵ The previous bibliometric studies on Covid-19 did not evaluate the effects of VDD separately.^{16,17} Furthermore, the mapping studies on worldwide research on vitamin D were conducted prior to the Covid-19 pandemic.¹⁸⁻²⁰ Thus, there is no bibliometric

This is an open access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms.

assessment of VDD research in relation to the Covid-19 pandemic available in the literature so far. We, therefore, planned to provide a comprehensive bibliometric analysis of published research on VDD concerning Covid-19.

MATERIALS AND METHODS

We identified, retrieved, and downloaded publications on the theme "Covid-19 & VDD" from the Scopus database (www.scopus.com). The approach used for the search was similar to our previous bibliometric studies. Two sets of keywords, "Covid-19" and "vitamin D deficiency," were used in field tags, "Keyword" or "Title" (Article Title), and the search was then limited to the 2020-2021 period. The complete search string is shown below:

("Covid 19" OR "2019 novel coronavirus" OR "coronavirus 2019" OR "coronavirus disease 2019" OR "2019-novel CoV" OR "2019 ncov" OR covid 2019 OR covid19 OR "corona virus 2019" OR ncov-2019 OR ncov-2019 OR "nCoV 2019" OR 2019-ncov OR covid-19 OR "Severe acute respiratory syndrome coronavirus 2" OR "SARS-CoV-2") OR KEY ("Covid 19" OR "2019 novel coronavirus" OR "coronavirus 2019" OR "coronavirus disease 2019" OR "2019-novel CoV" OR "2019 ncov" OR covid 2019 OR covid19 OR "corona virus 2019" OR ncov-2019 OR ncov-2019 OR "nCoV 2019" OR 2019-ncov OR covid-19 OR "Severe acute respiratory syndrome coronavirus 2" OR "SARS-CoV-2") and Key' (Vitamin D deficiency).

The records obtained were analyzed using various bibliometric tools provided in the Scopus database. The quantitative characteristics were tabulated. The quality of publications was assessed using several quality indicators such as citations per publication (CPP), relative citation index (RCI), and Hirsch index (HI). The VOSviewer (version 1.6.14) software was used to examine the keywords clusters and collaborations networks of authors and institutions. The number of citations received by publications was counted up to August 8, 2021. Publications with more than 50 citations were labeled highly-cited publications (HCPs).

RESULTS

Overall output and profile of publications

The total number of publications was 435; these accumulated 5664 citations, averaging 13.0 CPP. The funded publications (88, 20.2%) received marginally higher citations (average CPP 14.8, total 1309). The National Institute of Health, USA (18 papers), US Department of Health and Human Services (12 papers), and National Institute for Health Research (9 papers) were the leading funding agencies. The type of publications were original articles, reviews, and letters (42.9%, 25.2%, and 20.0%), editorials and notes (6.4% and 4.3%), book chapters, conference paper and short survey (0.4%, 0.2%, and 0.2%).

Significant keywords

Forty-four keywords that indicate research trends on the VDD-Covid-19 theme were identified from the literature (Figure 1).

Research focus

Studies focused on risk factors accounted for the largest share of publications (29.6%), followed by epidemiology (27.3%), complications (26.4%), clinical spectrum (24.8%), and pathophysiology (17.2%). Treatment aspects were less studied (14.0%). Studies on pathophysiology received the highest (CPP 21.9) and complications the least (CPP 14.0) number of citations.




Figure 1: Word cloud based on author keywords and KeyWord Plus. The significance of the tags is according to the text dimension.

Table 1: The most productive countries in research on Covid-19 related vitamin D deficiency.

S. no.	Country	TP	TC	CPP	HI	ICP	%ICP	%TP	RCI
1	USA*	80	1683	21.0*	17	34	42.5	18.3	1.6*
2	Italy	72	877	12.1	14	20	27.7	16.5	0.9
3	UK*	67	1381	20.6*	16	33	49.2	15.4	1.5*
4	India	33	360	10.9	7	8	24.2	7.5	0.8
5	Iran	25	188	7.5	8	5	20.0	5.7	0.5
6	Turkey	21	136	6.4	6	4	19.0	4.8	0.5
7	China	17	198	11.6	8	6	35.2	3.9	0.8
8	Ireland*	16	363	22.6*	7	10	62.5	3.6	1.7*
9	Belgium	15	110	7.3	5	5	33.3	3.4	0.5
10	Australia	13	100	7.6	5	10	76.9	2.9	0.5
	Total	359	5396	15.0	9.3	135	37.6	82.5	1.1

*more impactful countries

Abbreviations: TP=Total papers; TC=Total citations; CPP=Citations per paper; HI=H-index; ICP=International collaborative papers; RCI=Relative citation index.

Studied patient populations by age group

The relative proportion of studies on adults, elderly, middle-aged, children, and adolescents was 24.1%, 21.6%, 17.7%, children 6.4% and 3.9%, respectively. Publications on the middle-aged population registered the highest, whereas those on children received the lowest CPP (20.9 versus 12.7).

Top countries by productivity and impact

The participation of 74 countries in research was unequal; 53 contributed 1-5 papers each, nine countries 6-10 papers each, nine countries 11-50 papers each, and three contributed 67-88 publications. The top 10 countries contributed 82.5% of publications and 95.2% citations. Only three out of the top 10 countries registered higher CPP and RCI than their group average of 15.0 and 1.1 and were more impactful than others (Table 1). Substantial collaboration was noted between the top productive countries, with the UK, USA, and Italy leading others in the international collaborations (Figure 2).

Leading organizations

The contribution of 254 organizations was as follows: 239 contributed 1-5 papers each, 11 contributed 6-10 papers each, and four organizations 11-13 papers each. The top 15 organizations contributed almost one-third




Figure 2: A three-fields plot of countries, organizations and authors showing their collaboration links. The size of the nodes and the width of the connecting lines is proportional to the significance of collaboration.

to the publication (135, 31.0%) and citation (1777, 31.3%) output. The productivity of eight organizations was above the group average of 9.0, whereas six registered CPP and RCI above their group average of 13.1 and 1.0, respectively (Table 2). Figure 3 shows the inter-organization collaborations in research.

Most prolific and influential authors

The contributions from 383 authors who participated in the research were unequal; respectively, 376 and 7 contributed 1-5 and 6-9 publications each. The top 15 authors contributed 92 (21.1%) publications and 2010 (35.4%) citations: six contributed a higher number of publications than their group average of 6.13, whereas ten registered CPP and RCI above their group average 21.8 and 1.6, respectively. Table 3 shows the profiles of leading authors in productivity and impact. Figure 4 depicts the collaboration networks of authors.

Top journals

Of the 101 journals that participated in the research, 89 published 1-5 papers each, 11 contributed 6-10 papers, and one journal published 30 papers. The top 15 journals published 27.8% of the research on the current theme. The ten most productive and the most impactful journals are listed in Table 4.

The highly-cited publications

Only 28 (6.4%) publications were HCPs receiving an average CPP of 113.6, and total citations 3181. The leading HCP contributors (2-8 publications) were the UK, the USA, Ireland, Italy, India, and Russia. Sixteen HCPs are published as original articles, eight as reviews, and two each as letters and notes. Eighteen HCPs were collaborative; 11 national and seven international collaborative. The top journals that published HCPs were Nutrients, Lancet Diabetology & Endocrinology, and Irish Medical Journal, with 4, 2, and 2 papers.

DISCUSSION

Vitamin D deficiency is widely prevalent worldwide.²⁴ Its association has been documented to either predispose or alter the course of several infective and autoimmune conditions such as respiratory and systemic infections, type 1 diabetes, systemic lupus erythematosus, systemic sclerosis, etc., probably due to the lack of immunomodulatory effects of vitamin D.²⁵⁻²⁹ VDD also affects several outcome parameters in hospitalized patients.^{29,30} Its role in the disease severity and progression and the possibility of amelioration were suggested during the initial phase of the Covid-19 epidemic.⁹ The recent meta-analyses of several studies also

Table 2: The most productive and the most influential organizations in Covid-19-related vitamin D deficiency research.

S.no.	Organization	TP	TC	CPP	н	ICP	% ICP	RCI
	Most productiv						70.0.	
1	Trinity College, Dublin, Ireland	13	348	26.7	6	10	46.1	2.0
2	Harvard Medical School, USA		84	7.6	5	4	45.4	0.5
3	University of Liverpool, U.K.	11	284	25.8	6	9	54.5	1.9
4	University Hospital of Ghent, Belgium	11	30	2.7	3	2	27.2	0.2
5	University of Brigham, U.K	10	53	5.3	5	5	50.0	0.4
6	Tehran University of Medical Sciences, Iran	10	54	5.4	4	2	40.0	0.4
7	Sapienza University of Rome, Italy	10	89	8.9	5	4	50.0	0.6
8	University of Ghent, Belgium		46	4.6	3	2	30.0	0.3
9	Research Foundation Flanders, Belgium	9	26	2.8	2	0	22.2	0.2
10	Shahid Beheshti University of Medical Sciences, Iran	8	55	6.8	4	0	50.0	0.5
	Most impactfu	ul org	janiza	tions				
1	St James's Hospital, Ireland	6	232	38.6	3	4	50.0	2.9
2	University Hospital Brigham NHS Foundation Trust, U.K.	7	268	38.2	5	2	71.4	2.9
3	Trinity College, Dublin, Ireland	13	348	26.7	6	10	46.1	2.0
4	University of Liverpool, U.K.		284	25.8	6	9	54.5	1.9
5	Queen Mary University of London, U.K.	6	153	25.5	4	2	66.6	1.9
6	Sapienza University of Rome, Italy		89	8.9	5	4	50.0	0.6
7	Harvard Medical School, USA		84	7.6	5	4	45.4	0.5
8	Shahid Beheshti University of Medical Sciences, Iran		55	6.8	4	0	50.0	0.5
9	University of Brigham, U.K	10	53	5.3	5	5	50.0	0.4
10	Tehran University of Medical Sciences, Iran	10	54	5.4	4	2	40.0	0.4

Abbreviations: TP=Total papers; TC=Total citations; CPP=Citations per paper; HI=Hirsch Index; ICP=International collaborative papers; RCI=Relative citation index

point towards the association of VDD with the severity and outcome of Covid-19 in hospitalized patients. ^{10,11} However, despite extensive research conducted on VDD in Covid-19 patients, the exact prognostic value of VDD in these patients remains uncertain. ¹² Our bibliometric analysis also indicates the presence of some research gaps in the Covid-19-related VDD research, which are discussed below.

A significant finding of our study was that Covid-related VDD research was mainly concentrated in high-income countries. Almost 50% of global publications and 70% of citations were attributable to the USA, Italy, and the UK. This observation is similar to the previous scientometric studies that show higher productivity and quality of research in the high-income countries belonging to North American and Western European continents. The better quality of research was probably due to the availability of funding; the major funding agencies were located in these regions only. The funded publications had received better citations as compared to non-funded publications, which is an established fact. In contrast, the non-availability of funds for research in low-income

Table 3: Profiles of leading authors in research on vitamin D deficiency-related Covid-19 research.

S.no.	Author	Affiliation	TP	TC	СРР	HI	ICP	%ICP	RCI
Most productive authors									
1	J.R.Delanghe	University of Ghent, Belgium	9	26	2.8	2	0	0.0	0.2
2	R.A.Kenny	Trinity College, Dublin, Ireland	9	261	29.0	5	8	88.9	2.2
3	M.M. Speeckaert	University Hospital of Ghent, Belgium	9	26	2.8	2	0	0.0	0.2
4	A.Glustina	Universita Vita-Salute San Raffaele, Italy	7	56	8.0	5	2	28.6	0.6
5	E.Laird	Trinity College, Dublin, Ireland	7	245	35.0	4	6	85.7	2.6
6	S.Subramanian	Trinity College, Dublin, Ireland	7	187	26.7	4	6	85.7	2.0
7	M.F.Holick	Boston University School of Medicine, USA	6	106	17.6	4	0	0.0	1.3
8	W.B.Grant	Nutrition & Health Research Center, USA	5	678	135.6	3	2	40.0	10.4
9	M.Hewison	University of Brigham, U.K.	5	23	4.6	2	3	60.0	0.3
10	A.R.Martin	Bart & The London School of Medicine & Dentistry, UK	5	140	28.0	3	1	20.0	2.1
		Most impactful authors					_		
1	W.B.Grant	Nutrition & Health Research Center, USA	5	678	135.6	3	2	40.0	10.4
2	E.Laird	Trinity College, Dublin, Ireland	7	245	35.0	4	6	85.7	2.6
3	R.A.Kenny	Trinity College, Dublin, Ireland	9	261	29.0	5	8	88.9	2.2
4	A.R.Martin	Bart & The London School of Medicine & Dentistry, UK.	5	140	28.0	3	1	20.0	2.1
5	S.Subramanian	Trinity College, Dublin, Ireland	7	187	26.7	4	6	85.7	2.0
6	J.Rhodes	University of Liverpool, U.K.	5	91	18.2	2	5	100.0	1.4
7	G.Griffin	Trinity College, Dublin, Ireland	4	72	18.0	2	4	100.0	1.3
8	M.F.Holick	Boston University School of Medicine, USA	6	106	17.6	4	0	0.0	1.3
9	R.Quinton	Newcastle University, UK	5	81	16.2	3	3	60.0	1.2
10	A.Glustina	Universita Vita-Salute San Raffaele, Italy	7	56	8.0	5	2	28.6	0.6

 $\textbf{Abbreviations:} \ TP=Total\ papers; \ TC=Total\ citations; \ HI=Hirsch\ Index; \ CPP=Citations\ per\ paper; \ ICP=International\ collaborative\ papers; \ RCI=Relative\ citation\ index.$




Figure 3: Collaboration network of organizations researching vitamin D deficiency in relation to the Covid-19. The width of the linking lines and the distance between organizations reflect the degree of collaborative relationships.

countries often leads to a low quantity and quality of research.³⁴ Another factor that probably contributed to a better quality of research in high-income countries was a higher degree of collaboration in research. Organizations and researchers located in high-income countries showed better collaborative networking as compared to those in low-income countries. Collaborative research improves the quality and leads to the development of better future management strategies.³⁵ In this context, it is important to foster collaboration in Covid-related VDD research

between high- and low-income countries for improving the outcomes of Covid-19 patients worldwide, similar to research strengthening initiatives in other diseases.³⁶

Another notable observation was the small number of studies on the treatment-related aspects of VDD in Covid-19. As vitamin D status has been shown to influence the length of hospital stay and prognosis in hospitalized Covid-19 patients, it is reasonable to assume that treatment of VDD at admission may improve outcomes.¹² Thus, the role of large doses of cholecalciferol supplementation in the community and at hospitalization, as suggested by Grant WB et al., needs to be explored through extensive multicentric and international collaborative research.³⁷ We also noted that studies on the childhood population were very few, constituting about 10% of all publications. This is understandable as most children had a mild disease during the initial wave of Covid-19.38 The subsequent waves of Covid-19 are expected to affect more children due to non-vaccination, and optimal strategies are currently being defined for mitigating effects on children.³⁹ A role of several therapeutic modalities, including vitamins, is being worked out.⁴⁰ Researchers have suggested conducting high-quality randomized controlled trials to evaluate the role of supplements, including vitamin D, in treating or preventing Covid-19 in children. 40 Children, therefore, should gain priority in future research on Covid-related VDD.

A limitation of our study was using a single database for the bibliometric assessment, similar to our previous bibliometric studies. ²¹⁻²³ Single database studies are likely to miss some publication and citation data. However, it is also true that most bibliometric studies are based on a single database, with Scopus regarded as the most authoritative of all medical databases due to its wider content coverage, accuracy, and citation analysis tools. ⁴¹

Table 4: Most active and influential journals in research on Covid-19-related vitamin D deficiency.

S.no.	Journal	TP	TC	СРР				
Most productive journals								
1	Nutrients	30	1257	41.9				
2	Journal of Medical Virology	9	57	6.3				
3	Endocrine	8	67	8.3				
4	Irish Medical Journal	8	180	22.5				
5	Alimentary Pharmacology & Therapeutics	7	223	31.8				
6	Clinical Medicine Journal of the Royal College of Physicians of London	7	78	11.1				
7	Aging Clinical & Experimental Research	6	300	50.0				
8	Clinical Nutrition Espen	6	14	2.3				
9	European Journal of Nutrition	6	33	5.5				
10	Italian Journal of Medicine	6	1	0.1				
Most impactful journals								
1	Aging Clinical & Experimental Research	6	300	50.0				
2	Diabetes & Metabolic Syndrome: Clinical Research & Review	5	232	46.4				
3	Nutrients	30	1257	41.9				
4	Alimentary Pharmacology & Therapeutics	7	223	31.8				
5	Irish Medical Journal	8	180	22.5				
6	Metabolism. Clinical & Experimental	6	131	21.8				
7	Clinical Medicine Journal of the Royal College of Physicians of London	7	78	11.1				
8	Journal of the American College of Nutrition	6	65	10.8				
9	European Review For Medicinal & Pharmacological Science	5	47	9.4				
10	Endocrine	8	67	8.3				

Abbreviations: TP=Total papers; TC=Total citations; CPP=Citations per paper




Figure 4: Collaboration network of authors involved in research on vitamin D deficiency concerning the Covid-19.

Furthermore, searching all databases simultaneously is quite cumbersome due to a lack of uniformity in the available analytical provisions. 42

CONCLUSION

Most of the research on VDD in relation to the Covid-19 has been conducted in high-income countries. There is a need to focus on treatment-related aspects, involvement of childhood populations, and increasing collaboration between high- and low-income countries to better manage VDD concerning Covid-19.

CONFLICT OF INTEREST

The authors declare no conflict of interest.

REFERENCES

- Kumar R, Bharti N, Kumar S, Prakash G. Multidimensional impact of Covid-19 pandemic in India-Challenges and future direction. J Family Med Prim Care. 2020;9(12):5892-5. doi: 10.4103/jfmpc.jfmpc_1625_20, PMID 33681014.
- Dayal D, Gupta S, Raithatha D, Jayashree M. Missing during Covid-19 lock-down: children with onset of type 1 diabetes. Acta Paediatr. 2020;109(10):2144-6. doi: 10.1111/apa.15443, PMID 32575149.
- Dayal D. We urgently need guidelines for managing Covid-19 in children with comorbidities. Acta Paediatr. 2020;109(7):1497-8. doi: 10.1111/apa.15304, PMID 32279351
- Dayal D, Yadav A. Covid-19: Considerations for children and adolescents with diabetes. J Diabetol. 2020;11(3):126-30. doi: 10.4103/JOD.JOD_40_20.
- Park SC, Won SY, Kim NH, Choi H, Youk TM, Lee HJ, Jeon HH. Risk factors for severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infections: a nationwide population-based study. Ann Transl Med. 2021;9(3):211. doi: 10.21037/atm-20-5958, PMID 33708838.
- Pinarlik F, Genç Z, Kapmaz M, Tekin S, Ergönül Ö. Risk groups for SARS-CoV-2 infection among healthcare workers: community versus hospital transmission. Infect Dis Rep. 2021;13(3):724-9. doi: 10.3390/idr13030067, PMID 34449648.
- Dayal D, Gupta S. Connecting BCG vaccination and Covid-19: additional data. MedRxiv. 2020. doi: 10.1101/2020.04.07.20053272 [preprint].
- Basak P, Sachdeva N, Dayal D. Can BCG vaccine protect against Covid-19 via trained immunity and tolerogenesis? BioEssays. 2021;43(3):e2000200. doi: 10.1002/bies.202000200, PMID 33169410.
- Dayal D. Possible role of vitamin D supplementation in coronavirus disease 2019. Int J Sci Rep. 2020;6(9):376-8. doi: 10.18203/issn.2454-2156.IntJSci-Rep20203554.
- Crafa A, Cannarella R, Condorelli RA, Mongioì LM, Barbagallo F, Aversa A, La Vignera S, Calogero AE. Influence of 25-hydroxy-cholecalciferol levels on SARS-CoV-2 infection and Covid-19 severity: A systematic review and meta-analysis. EClinicalmedicine. 2021;37:100967. doi: 10.1016/j.eclinm.2021.100967.
- Kazemi A, Mohammadi V, Aghababaee SK, Golzarand M, Clark CCT, Babajafari S. Association of vitamin D status with SARS-CoV-2 infection or Covid-19 severity: A systematic review and meta-analysis. Adv Nutr. 2021 Mar 5:nmab012. doi: 10.1093/advances/nmab012 [Epub ahead of print]. PMID 33751020.
- Reis BZ, Fernandes AL, Sales LP, Santos MD, Dos Santos CC, Pinto AJ, et al. Influence of vitamin D status on hospital length of stay and prognosis in hospitalized patients with moderate to severe Covid-19: a multicenter prospective cohort study. Am J Clin Nutr. 2021;114(2):598-604. doi: 10.1093/ajcn/nqab151, PMID 34020451.
- Cooper ID. Bibliometrics basics. J Med Libr Assoc. 2015;103(4):217-8. doi: 10.3163/1536-5050.103.4.013, PMID 26512226.
- Dayal D, Gupta BM. Pediatric hyperthyroidism research: A scientometric assessment of global publications during 1990-2019. Thyroid Res Pract. 2020;17(3):134-40. doi: 10.4103/trp.trp_67_20.
- Morán-Mariños C, Toro-Huamanchumo CJ, Pacheco-Mendoza J. Bibliometric profile and collaborative networks in scientific research on systemic lupus erythematosus in Latin America, 1982-2018. Reumatol Clin (Engl Ed). 2021;17(7):404-7. doi: 10.1016/j.reumae.2020.01.004, PMID 34301384.
- Gupta B, Dhawan S, Mueen Ahmed K, Mamdapur GM. Global Research on Covid-19 Disease: A Scientific Assessment of Publications during 2020-21. IJMEDPH. 2021;11(2):76-84. doi: 10.5530/ijmedph.2021.2.14.
- Klingelhöfer D, Braun M, Brüggmann D, Groneberg DA. The Pandemic Year 2020: World Map of Coronavirus Research. J Med Internet Res. 2021 Jul 8;23(9):e30692. doi: 10.2196/30692 [Epub ahead of print]. PMID 34346891.
- Gupta R, Gupta BM, Baidwani K, Kaur J. A Scientometric assessment of Indian publications on vitamin D deficiency during 2006-15. J Young Pharm. 2016;8(4):302-9. doi: 10.5530/jyp.2016.4.3.
- Brüggmann D, Alafi A, Jaque J, Klingelhöfer D, Bendels MH, Ohlendorf D, Quarcoo D, Louwen F, Ingles SA, Wanke EM, Groneberg DA. World-wide research architecture of vitamin D research: density-equalizing mapping studies and socio-economic analysis. Nutr J. 2018;17(1):3. doi: 10.1186/s12937-018-0313-6, PMID 29306332.
- Yang A, Lv Q, Chen F, Wang D, Liu Y, Shi W. Identification of recent trends in research on vitamin D: A quantitative and co-word analysis. Med Sci Monit. 2019;25:643-55. doi: 10.12659/MSM.913026, PMID 30668558.
- Gupta BM, Dayal D. Pediatric type 1 diabetes research in the 21st century: a scientometric review. Pediatr Endocrinol Diabetes Metab. 2020;26(3):132-9. doi: 10.5114/pedm.2020.98165, PMID 32901470.
- Dayal D, Gupta BM, Gupta S. Quantitative and qualitative assessment of Indian research yield in type 1 diabetes during 1996-2019. J Diabetol. 2021;12(1):28-35. doi:10.4103/jod.jod_46_20.
- Gupta BM, Pal R, Rohilla L, Dayal D. Bibliometric analysis of diabetes research in relation to the Covid-19 pandemic. J Diabetol. 2021;12(3):350-6.doi:10.4103/

- JOD.JOD 30 21.
- Dayal D, Jayaraman D. Vitamin D deficiency: dealing with the current epidemic.
 In: Singhi S, Mathew J, editors. Current pediatrics practice. 3rd ed. New Delhi, India: Peepee Publishers; 2015. p. 69-75.
- Vaghari-Tabari M, Mohammadzadeh I, Qujeq D, Majidinia M, Alemi F, Younesi S, Mahmoodpoor A, Maleki M, Yousefi B, Asemi Z. Vitamin D in respiratory viral infections: a key immune modulator? Crit Rev Food Sci Nutr. 2021 Sep 2:1-16. doi: 10.1080/10408398.2021.1972407 [Epub ahead of print]. PMID 34470511.
- Borkar VV, Devidayal VS, Verma S, Bhalla AK. Low levels of vitamin D in North Indian children with newly diagnosed type 1 diabetes. Pediatr Diabetes. 2010;11(5):345-50. doi: 10.1111/j.1399-5448.2009.00589.x, PMID 19906128.
- Dayal D, Jayashree M. Vitamin D levels in newly detected Type 2 diabetes. Indian J Endocrinol Metab. 2015;19(2):308. doi: 10.4103/2230-8210.149333, PMID 25729703.
- Dupuis ML, Pagano MT, Pierdominici M, Ortona E. The role of vitamin D in autoimmune diseases: could sex make the difference? Biol Sex Differ. 2021;12(1):12. doi: 10.1186/s13293-021-00358-3, PMID 33436077.
- Ponnarmeni S, Kumar Angurana S, Singhi S, Bansal A, Dayal D, Kaur R, Patial A, Verma Attri S. Vitamin D deficiency in critically ill children with sepsis. Paediatr Int Child Health. 2016;36(1):15-21. doi: 10.1179/2046905515Y.0000000042, PMID 26120004.
- Dayal D, Kumar S, Sachdeva N, Kumar R, Singh M, Singhi S. Fall in vitamin D levels during hospitalization in children. Int J Pediatr. 2014;2014:291856. doi: 10.1155/2014/291856.
- Dayal D, Gupta BM, Gupta A. Thyroid disorders in children and adolescents: systematic mapping of global research over the past three decades. Thyroid Res Pract. 2021;18(1):23-30. doi: 10.4103/trp.trp_5_21.
- Gupta BM, Mamdapur GM, Gupta S, Rohilla L, Dayal D. Global mucormycosis research: A bibliometric assessment based on Scopus database (1998-2021). J Young Pharm. 2021;13(4).
- 33. Fradkin JE, Wallace JA, Akolkar B, Rodgers GP. Type 1 diabetes--reaping the rewards of a targeted research investment. Diabetes. 2016;65(2):307-13. doi:

- 10.2337/db15-1030, PMID 26798117.
- Lakhotia SC. Research fund crunch, real or created, is hitting India's Academia on the Wrong Side. Proc Indian Natl Sci Acad. 2018;98(3):545-7. doi: 10.16943/ ptinsa/2018/49475.
- Vaudano E. Research collaborations and quality in research: foes or friends? Handb Exp Pharmacol. 2020;257:383-98. doi: 10.1007/164_2019_293, PMID 31628602
- 36. Haregu TN, Byrnes A, Singh K, Sathish T, Pasricha N, Wickramasinghe K, et al. A scoping review of non-communicable disease research capacity strengthening initiatives in low and middle-income countries. Glob Health Res Policy. 2019;4:31. doi: 10.1186/s41256-019-0123-1, PMID 31799408.
- Grant WB, Lahore H, McDonnell SL, Baggerly CA, French CB, Aliano JL, et al. Evidence that vitamin D supplementation could reduce risk of influenza and Covid-19 infections and deaths. Nutrients. 2020;12(4):988. doi: 10.3390/ nu12040988, PMID 32252338.
- Ludvigsson JF. Systematic review of Covid-19 in children shows milder cases and a better prognosis than adults. Acta Paediatr. 2020;109(6):1088-95. doi: 10.1111/apa.15270, PMID 32202343.
- Panovska-Griffiths J, Kerr CC, Stuart RM, Mistry D, Klein DJ, Viner RM, et al. Determining the optimal strategy for reopening schools, the impact of test and trace interventions, and the risk of occurrence of a second Covid-19 epidemic wave in the UK: a modelling study. Lancet Child Adolesc Health. 2020;4(11):817-27. doi: 10.1016/S2352-4642(20)30250-9, PMID 32758453.
- Younis NK, Zareef RO, Fakhri G, Bitar F, Eid AH, Arabi M. Covid-19: potential therapeutics for pediatric patients. Pharmacol Rep. 2021 Aug 30. doi: 10.1007/ s43440-021-00316-1 [Epub ahead of print]. PMID 34458951.
- Baas J, Schotten M, Plume A, Côté G, Karimi R. Scopus as a curated, highquality bibliometric data source for academic research in quantitative science studies. Quant Sci Stud. 2020;1(1):377-86. doi: 10.1162/qss_a_00019.
- Kokol P, Vošner HB. Discrepancies among Scopus, Web of Science, and PubMed coverage of funding information in medical journal articles. J Med Libr Assoc. 2018;106(1):81-6. doi: 10.5195/jmla.2018.181, PMID 29339937.

Article History: Received: 27-08-2021; Revised: 21-09-2021; Accepted: 30-10-2021.

Cite this article: Dayal D, Gupta BM, Surulinathi M, Nanda P. Covid-19 and Vitamin D Deficiency: A Scientometric Assessment of Global Publications during 2020-21. J Young Pharm. 2021;13(3) Suppl:s89-s94.